establishes protocols related to the disclosure, use, and reuse of HHS data;

- (5) Adhere to the enrollee satisfaction survey protocols and technical specifications in a manner and form required by HHS;
- (6) Develop and submit to HHS a quality assurance plan and any supporting documentation as determined to be relevant by HHS. The plan must describe in adequate detail the implementation of and compliance with all required protocols and technical specifications described in paragraph (b)(5) of this section;
- (7) Adhere to privacy and security standards established and implemented under §155.260 of this subchapter by the Exchange with which they are associated:
- (8) Comply with all applicable State and Federal laws:
- (9) Become a registered user of the enrollee satisfaction survey data warehouse to submit files to HHS on behalf of its authorized QHP contracts;
- (10) Participate in and cooperate with HHS oversight for quality-related activities, including, but not limited to: review of the enrollee satisfaction survey vendor's quality assurance plan and other supporting documentation; analysis of the vendor's submitted data and sampling procedures; and site visits and conference calls; and,
- (11) Comply with minimum business criteria as established by HHS.
- (c) Approved list. A list of approved enrollee satisfaction survey vendors will be published on an HHS Web site.
- (d) Monitoring. HHS will periodically monitor HHS-approved enrollee satisfaction survey vendors to ensure ongoing compliance with the standards in paragraph (b) of this section. If HHS determines that an HHS-approved enrollee satisfaction survey vendor is non-compliant with the standards required in paragraph (b) of this section, the survey vendor may be removed from the approved list described in paragraph (c) of this section and/or the submitted survey results may be ineligible to be included for ESS results.
- (e) Appeals. An enrollee satisfaction survey vendor that is not approved by HHS after submitting the application described in paragraph (a) of this section may appeal HHS's decision by no-

tifying HHS in writing within 15 days from receipt of the notification of not being approved and submitting additional documentation demonstrating how the vendor meets the standards in paragraph (b) of this section. HHS will review the submitted documentation and make a final approval determination within 30 days from receipt of the additional documentation.

[78 FR 65105, Oct. 30, 2013, as amended at 79 FR 30351, May 27, 2014]

§ 156.1110 Establishment of patient safety standards for QHP issuers.

- (a) Patient safety standards. A QHP issuer that contracts with a hospital with greater than 50 beds must verify that the hospital, as defined in section 1861(e) of the Social Security Act, is Medicare-certified or has been issued a Medicaid-only CMS Certification Number (CCN) and is subject to the Medicare Hospital Conditions of Participation requirements for—
- (1) A quality assessment and performance improvement program as specified in 42 CFR 482.21; and
- (2) Discharge planning as specified in 42 CFR 482.43.
- (b) Documentation. A QHP issuer must collect the CCN, from each of its contracted hospitals with greater than 50 beds, to demonstrate that those hospitals meet patient safety standards required in paragraph (a) of this section.
- (c) Reporting. (1) A QHP issuer must make available to the Exchange the documentation referenced in paragraph (b) of this section, upon request by the Exchange, in a time and manner specified by the Exchange.
- (2) Issuers of multi-State plans, as defined in §155.1000(a) of this subchapter, must provide the documentation described in paragraph (b) of this section to the U.S. Office of Personnel Management, in the time and manner specified by the U.S. Office of Personnel Management.
- (d) Effective date. A QHP issuer must ensure that each QHP meets patient safety standards in accordance with paragraph (a) of this section effective for plan years beginning on or after January 1, 2015.

[79 FR 13841, Mar. 11, 2014]